

Encoder Signal Cables



- Reliable quality
- Various lengths
- Easy to connect
- Shielded for electrical interference.

Introduction

Leadshine offers various industrial quality encoder cables for brushless servo motors, easy servo motors or stepper motors with encoders. These extension cables can meet different length requirements of feedback connections between the motors and drives.

Available Products

Part Number	Length (meter)	Description
CABLEG-BM1M5	1.5	1.5-meter (4.9-foot) encoder signal extension cable for the 2-Phase Closed Loop and Easy Servo Motors.
CABLEG-BM3M0	3	3-meter (9.8-foot) encoder signal extension cable for the ES-M3 and ES-MH series motors.
CABLEG-BM5M0	5	5-meter (16.4-foot) encoder signal extension cable for the ES-M3 and ES-MH series motors.
CABLEG-BM10M0	10	10-meter (32.8-foot) encoder signal extension cable for the ES-M3 and ES-MH series motors.
CABLEH-BM1M5	1.5	1.5-meter (4.9-foot) encoder signal extension cable for the 3-Phase Closed Loop and Easy Servo Motors.
CABLEH-BM3M0	3	3-meter (9.8-foot) encoder signal extension cable for the ES-M2 series easy servo motors.
CABLEH-BM5M5	5.5	5.5-meter (18-foot) encoder signal extension cable for the ES-M2 series easy servo motors.
CABLEH-BM10M0	10	10-meter (32.8-foot) encoder signal extension cable for the ES-M2 series easy servo motors.
CABLE-ENCODER-03	3	3-meter (9.8-foot) encoder signal extension cable for the ACM series servo motors.
CABLE-ENCODER-05	5	5-meter (16.4-foot) encoder signal extension cable for the ACM Series Servo motors.
CABLE-ENCODER-10	10	10-meter (32.8-foot) encoder signal extension cable for the ACM series servo motors.



CABLEG-BM1M5



Description

3-meter (9.8-foot) encoder signal extension cable the ES-M3 and ES-MH series easy servo motors. Shielded for electrical interference.

CABLEG-BM3M0



Description

3-meter (9.8-foot) encoder signal extension cable the ES-M3 and ES-MH series easy servo motors. Shielded for electrical interference.

CABLEG-BM5M0



Description

5-meter (16.4-foot) encoder signal extension cable the ES-M3 and ES-MH series easy servo motors. Shielded for electrical interference.

CABLEG-BM10M0



Description

10-meter (32.8-foot) encoder signal extension cable the ES-M3 and ES-MH series easy servo motors. Shielded for electrical interference.



CABLEH-BM1M5



Description

3-meter (9.8-foot) encoder signal extension cable for the ES-D808, ES-D1008 easy servo drives and the ES-M22310, ES-M22320, ES-M22310-S0635, ES-M22320-S0635, ES-M23440, ES-M23480, ES-M23440-S1270, ES-M23480-S1270 easy servo motors. Shielded for electrical interference.

CABLEH-BM3M0



Description

3-meter (9.8-foot) encoder signal extension cable for the ES-D808, ES-D1008 easy servo drives and the ES-M22310, ES-M22320, ES-M22310-S0635, ES-M22320-S0635, ES-M23440, ES-M23480, ES-M23440-S1270, ES-M23480-S1270 easy servo motors. Shielded for electrical interference.

CABLEH-BM5M5



Description

5.5-meter (18-foot) encoder extension cable for the ES-D808, ES-D1008 easy servo drives and the ES-M22310, ES-M22320, ES-M22310-S0635, ES-M22320-S0635, ES-M23440, ES-M23480, ES-M23440-S1270, ES-M23480-S1270 easy servo motors. Shielded for electrical interference.

CABLEH-BM10M0



Description

10-meter (32.8-foot) encoder signal extension cable for the ES-D808, ES-D1008 easy servo drives and the ES-M22310, ES-M22320, ES-M22310-S0635, ES-M22320-S0635, ES-M23440, ES-M23480, ES-M23440-S1270, ES-M23480-S1270 easy servo motors. Shielded for electrical interference.



CABLE-ENCODER-03



Description

3-meter (9.8-foot) encoder signal extension cable for the ACM series servo motors.

CABLE-ENCODER-05



Description

5-meter (16.4-foot) encoder signal extension cable for the ACM series servo motors.

CABLE-ENCODER-10



Description

10-meter (32.8-foot) encoder signal extension cable for the ACM series servo motors.

